

# Material Safety Data Sheet

## Industrial Adhesives Of Indiana

Telephone 317/541-1100

Fax 317/541-0646

Emergency Number 800-535-5053

Product Name: Tube Winding-Paper Adhesive

---

### Product Name

Tube Winding-Paper Adhesive

Product Code

### Manufacturer

Industrial Adhesives of Indiana  
5616 Massachusetts Ave.  
Indianapolis, IN 46218

---

## 1. PRODUCT IDENTIFICATION

Produced Identification	TW 1500
Produced Name	Tube Winding-Paper Adhesive
Synonyms	None
Generic Name	Tube/Paper Laminating Adhesive
Chemical Name	Vinyl Acetate polymer dispersion in water
Product CAS Number	

---

## 2. COMPONENTS

Chemical Name	CAS Number	Weight Percentage
Vinyl Acetate Polymer	9003-20-7	40-55
Vinyl Acetate-Ethlene	108-05-4	.05-13
Hydrolyzed Polyvinyl Alcohol	9002-89-5	>10

---

## 3. EMERGENCY AND FIRST AID PROCEDURES

### EMERGENCY OVERVIEW AND FIRST AID INFORMATION

A white, milky liquid with a slight vinegar odor. May cause skin irritation, may cause eye irritation.

Vinyl acetate monomer can cause eye and respiratory irritation at high air concentrations.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician

Inhalation: If inhaled, remove to fresh air, If not breathing give artificial respiration is breathing

Ingestion: If swallowed, do not induce vomiting. If patient is conscious, give several glasses

## 4. FIREFIGHTING MEASURES

### Hazard Ranking

<b>Hazard</b>	<b>1</b>
<b>Flammability</b>	<b>0</b>
<b>Reactivity</b>	<b>0</b>
<b>Other</b>	<b>0</b>

Flash Point	Aqueous System
Method	Not Determined
Lower Explosion Limit	Not Determined
Minimum Ignition Temp	Not Determined

### Extinguishing Media

Aqueous product, for fires involving dried material, use water, carbon dioxide, dry chemicals or foam.

Unusual Fire and Explosion Hazards

None

Thermal Decomposition

Carbon monoxide, Carbon Dioxide

Fire Fighting Guidance

If product is present in fire and threat of decomposition exists, wear self contained breathing apparatus with full face piece.

---

## 5. SPILL OR LEAK PROCEDURES

Build Dike to contain flow. Soak up with sawdust, sand oil dry or other absorbent material. Use appropriate personal equipment during cleanup, treatment, storage, transportation, and disposal must be in accordance with Federal, State, Local Regulations. Soak up with absorbent material and place material in paper carton. Landfill according to regulations.

---

## 6. SPECIAL PROTECTION INFORMATION

Emergency Overview:	White colored water-based adhesive. Slippery in the wet state.
Ventilation:	Use with adequate ventilation. For normal use, ordinary air movement is sufficient.
Ingestion:	No hazard expected in normal industrial use. Ingestion is not a likely route of exposure.
Respiratory:	This product can produce a mild respiratory tract irritation in confined areas under EXTREME conditions.
Protective Gloves:	Protective gloves should be worn when repeated or long contact with skin is exposed.
Eye Protection:	Wear Safety Glasses or other eye/face protection. Substance may cause moderate eye irritation.

---

## 7. PHYSICAL DATA

<b>Physical State</b>	Liquid	<b>Vapor Pressure</b>	Same as Water
<b>Color</b>	Milky white	<b>Vapor Density</b>	Same as Water
<b>Odor</b>	Slight Vinegar	<b>Water Solubility</b>	Miscible
<b>Boiling Point</b>	100 C.	<b>Bulk Density</b>	Not Determined
<b>Freezing Point</b>	Not Determined	<b>Specific Gravity</b>	1.1
<b>Melting Point</b>	Not Determined	<b>Evaporation Rate</b>	Same as Water
<b>PH</b>	4-7	<b>Hazardous Polymerization</b>	Will not occur
<b>Stability</b>	Stable	<b>Conditions to Avoid</b>	None Known

## 8. STABILITY AND REACTIVITY

<b>Stability:</b>	This product is stable
<b>Hazardous Polymerization:</b>	Hazardous polymerization will not occur
<b>CONDITIONS TO AVOID:</b>	none known
<b>INCOMPATIBILITY:</b>	Strong acids and bases.
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	Oxides of carbon may be released during combustion.

---

## 9. TOXICOLOGICAL, ECOLOGICAL, DISPOSAL

Acute and chronic health effects are not expected as long as good industrial hygiene and safety precautions are followed. This product has not been tested for environmental effects.

---

### WASTE DISPOSAL:

Disposal of this product must comply with all applicable federal, state and local regulations.

### CONTAINER DISPOSAL:

Disposal of this container should comply with all applicable federal, state and local regulations.

---

This information is based on our best knowledge and we believe it to be true and accurate. HOWEVER, NO WARRANTY OR MERCHANTABILITY, FITNESS OR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION. THE INFORMATION. THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on either condition that he assume the risk of his use thereof.